


1. No newsrack may be placed, installed, used or maintained on public property or on a public right-of-way within the Special Newsrack District other than the "Sho-Rack Modular Boulevard Newsrack" or a modular newsrack of equal components and dimensions.
2. Individual Newsracks shall not exceed sixty (60) inches in height, including pedestal, measured from the ground to the top surface of the newsrack, not more than two (2) feet deep and not more than thirty (30) inches wide.
3. No advertising signs or material shall be displayed on the exterior of a newsrack other than those associated with the name of the publication contained therein. A notice shall be affixed to each newsrack providing the current name, address and telephone number of the newsrack operator.
4. Whenever there are more than four (4) individual newsracks within fifty (50) feet of each other, those newsracks shall be combined into a pedestal modular newsrack. No individual newsrack may be installed within one hundred (100) feet of a modular newsrack.
5. Each newsrack and the area in the immediate vicinity shall be maintained in a neat and clean condition and clear of debris and discarded material. Without limitation, newsracks shall be reasonably free of dirt and grease; be reasonably free of chipped, faded, peeling or cracked plastic or glass parts; and have no broken structural parts.
6. No newsrack may be chained, locked or tied to any other newsrack, street tree, or any other public or privately owned fixture. All newsracks must be properly installed to the concrete surface using appropriate fasteners.
7. All coin-operated newsracks shall be equipped with a coin-return mechanism, which shall be maintained in good working order.
8. Upon the removal of any newsrack, the public right-of-way shall be returned to its original condition at the expense of the newsrack operator, including, but not limited to, the repair of any damage that may have been caused by the installation or use of the newsrack.
9. No newsrack may be placed, installed, or maintained so that it projects onto, into or over any part of a roadway, or which rests, wholly or in part, upon, along or over any portion of a roadway.
10. No newsrack may be placed, installed, used or maintained within any neighborhood that is zoned as a Residential District, as defined in Part II, Article of the City of San Leandro Zoning Code.
11. No newsrack shall be placed, installed, used or maintained within five (5) feet of any marked crosswalk, or within fifteen (15) feet of any unmarked crosswalk as measured from the curb return, or within five (5) feet of any wheelchair curb ramp not in a marked crosswalk.
12. No newsrack shall be placed, installed, used or maintained within fifteen (15) feet of any fire hydrant.
13. No newsrack shall be placed, installed, used or maintained within five (5) feet of any driveway, bus bench or shelter.
14. No newsrack shall be placed, installed, used or maintained within fifteen (15) feet ahead of, and five (5) feet to the rear of, any sign marking a designated bus stop, relative to the direction of travel. Newsracks placed seven (7) feet from the curb, measured perpendicular from the roadway are exempt from this limitation.
15. Newsrack at face of curb require specific City approval. No newsrack shall be placed, installed, used or maintained at any location where the clear space or sidewalk space for passage of pedestrians is reduced to less than four (4) feet. In any State Highway (E 14th St., Davis St. from E 14th St. to Doolittle Dr., or Doolittle Dr. from Davis St. to North City Limits) two (2) feet of clearance must be maintained from the face of curb.
16. All <sup>△</sup>Modular and Boulevard Style newsrack shall be painted gloss black.

ACAD FILE NO. C3101D614ABC Rev1.DWG

## CITY OF SAN LEANDRO \* STANDARD PLANS

NO.	REVISIONS	DATE	BY	<b>NEWSRACK INSTALLATION NOTES</b>			APPROVED
△	added "Modular and Boulevard Style" to note 16	3/3/08	AMS				 Kenneth Joseph, City Engineer R.C.E. No.34870 Expires 9/30/09
DRAWN AMS		CHECKED KJ/KRC	DATE October 2007	SCALE NONE	SHEET 3 OF 3	DWG. NO. 614C CASE. 3101	