



SECTION A-A



SECTION B-B



NOTES:

1. All work shall be done in accordance with the Standard Specifications for Public Works Construction, the "GREENBOOK", the most current edition and all supplements thereto, adopted by the Southern California Chapter of the American Public Works Association and the Special Provisions (Technical Specifications) thereto adopted by the City.
2. General Concrete Notes Dwg. 104 Case 3101 shall apply.
3. Existing curb, gutter and sidewalk shall be saw cut along score lines.
4. Trim tubing flush with curb face.
5. Drain may be skewed as directed by the City Engineer. Drains shall not be installed in driveway curb transitions. Maintain 300mm (12") clear from driveway approaches.
6. One drain required for each 1,675m² (18,000 sq. ft.) of drained area.
7. Minimum 25mm (1") clearance between adjacent tubing.

ACAD FILE NO. C3101D210.DWG.

CITY OF SAN LEANDRO * STANDARD PLANS

NO.	REVISIONS	DATE	STRUCTURAL TUBE CURB DRAIN			APPROVED
						<i>[Signature]</i> 6/24/02
						Kenneth Joseph, City Engineer R.C.E. No. 34870 Expires 9/30/03
DRAWN	GF/MLWH/ML	CHECKED	KJ/KRC	DATE	May 2002	SCALE
						NONE
				SHEET	1 OF 1	DWG. NO. 210 CASE. 3101