



	Type A MH 600mm(24") maximum pipe diameter Dwg. 214	Type B MH 675mm(27") to 900mm(36") maximum pipe diameter Dwg. 216
A	600mm (24")	900mm (36")
B	800mm (31-1/2")	1067mm (42")
C	667mm (26-1/4")	1003mm (39-1/2")
D	644mm (25-3/8")	965mm (38")
E	643mm (25-5/16")	963mm (37-15/16")



1. All work shall be done in accordance with the Standard Specifications for Public Works Construction, the "GREENBOOK", the most current edition and all supplements thereto, adopted by the Southern California Chapter of the American Public Works Association and the Special Provisions (Technical Specifications) thereto adopted by the City.
2. Frame & Cover shall be Phoenix Iron Works Catalog No. P 1090 (600mm/24"), P 1006 (900mm/36") D & L Supply Catalog No. A-1024 (600mm/24"), A 1463 (900mm/36") or approved equal.
3. Materials: Cast Iron conforming to ASTM specification A 48 Class 35 B.
4. Fasten frame to MH deck or slab with approved anchor bolts when appropriate.

ACAD FILE NO. C3101D220.DWG.

CITY OF SAN LEANDRO * STANDARD PLANS

NO.	REVISIONS	DATE	MANHOLE FRAME AND COVER			APPROVED	 Kenneth Joseph, City Engineer R.C.E. No. 34870 Expires 9/30/03		
						DRAWN		CHECKED	DATE
	GF/MLWH/VL	KJ/KRC	May 2002	NONE	1 OF 1	220	3101		