

City of San Leandro
Civic Center, 835 E. 14th Street
San Leandro, California 94577
www.sanleandro.org



**Annual Overlay/Rehabilitation 2013-14
PROJECT NO. 2014.0050**

ADDENDUM NO. 1

April 14, 2014

TO: All Prospective Bidders

The additions and/or deletions contained in this Addendum shall be made a part of the plans and specifications and contract documents for the above described project, and shall be subject to all applicable requirements there under, as if originally shown and/or specified.

THE CONTRACT DOCUMENTS SHALL BE REVISED AS FOLLOWS:

Specifications

1. The Contract Price Schedule in the Proposal (pages 7 – 11) is replaced in its entirety. The new schedule Contract Price Schedule (Addendum 1) must be included with the bid. The old schedule is no longer valid and should be discarded.
2. The Project Location Map (page 25) is replaced in its entirety.
3. The Contract Price Schedule in the Agreement (pages 34 – 38) is replaced in its entirety.
4. The table of plans in Section 2-5 (page 53) is replaced.

Plans

1. Sheets 1 and 12 is replaced with the Addendum 1 version of the same sheets.

PLEASE NOTE:

The Bid Opening Date Remains 3:00 PM, Friday, April 25, 2014.

Acknowledge this addendum in your Proposal. If you have any questions, please call the Project Engineer, Kyle K. Lei, at (510) 577-3302 or via email at klei@sanleandro.org.

Sincerely,

Kenneth Joseph, P.E., City Engineer
Engineering and Transportation Department

Stephen H. Cassidy, Mayor

City Council:

Pauline Russo Cutter

Jim Prola

Michael J. Gregory

Ursula Reed

Benny Lee

Diana M. Souza



ACKNOWLEDGEMENT ADDENDUM NO. 1

(Include a signed copy of this form in your proposal)

I hereby acknowledge receipt of this Addendum for the above noted project.

(Signature) Date: _____

(Business Name – Please Print)

CONTRACT PRICE SCHEDULE (Addendum 1)

BASE BID

Item No.	Description	Estimated Quantity (A)	Unit of Measure	Item <u>UNIT</u> Price (in Words)	Item <u>UNIT</u> Price (in Figures) (B)	TOTAL PRICE (in Figures) (AxB)
1.	Mobilization	1	LS	_____		
2.	Traffic Control & Construction Area Signs, Lane Closures, and Detours	1	LS	_____		
3.	AC Milling and Offhaul (Final Quantity)	1,012	CY	_____		
4.	Failed Existing AC Pavement Repairs (Dig Outs)	34	TN	_____		
5.	Adjust Sanitary Sewer Manhole Frame and Cover to Grade	7	EA	_____		
6.	Adjust Storm Drain Manhole Frame and Cover to Grade	5	EA	_____		
7.	Remove and Rebuild City Monument per City Standard Plan No. 134	4	EA	_____		
8.	Locate Buried City Monument	6	EA	_____		
9.	Furnish and Install Monument Frame & Cover per City Standard Plan No. 134	4	EA	_____		
10.	Soil Stabilization Full-Depth Rehab Method (Equipment & Labor Only) (S)	87,990	SF	_____		
11.	Soil Stabilization at Locations with Utilities Within Stabilized Base Section (Equipment & Labor Only) (S)	8,799	SF	_____		

12.	Cement for Soil Stabilization (S)	390	TN	_____		
13.	Asphalt Concrete Paving	2,318	TN	_____		
14.	Potholing	50	EA	_____		
15.	Remove and Replace Thermoplastic Stripes, Pavement Markings and Markers	1	LS	_____		
16.	Standard 6'-6" By 6'-8" Rubber Speed Cushion	6	EA	_____		
17.	Standard 9'-2" By 6'-8" Rubber Speed Cushion	6	EA	_____		
18.	Install "Bump" Legend	8	EA	_____		
19.	Rubber Speed Cushion Border Striping	4	EA	_____		
20.	Furnish and Install W13-1 Sign (15 MPH)	4	EA	_____		
21.	Furnish and Install W17-1 Sign (Speed Bump)	4	EA	_____		
22.	Furnish and Install New Sign Post Per City Standard Plan No. 136	4	EA	_____		
23.	Install Traffic Detector Loops	8	EA	_____		
24.	Install Traffic Detector Wells	1	EA	_____		
25.	Remove and Replace Portion of 6" VCP Sanitary Sewer	27	LF	_____		
26.	Remove and Replace Portion of 8" VCP Sanitary Sewer	43.5	LF	_____		

TOTAL BASE BID: _____
(In Words)

TOTAL BASE BID: _____
(In Figures)

PROPOSAL FORMS

ADDITIVE BID ITEM A

Item No.	Description	Estimated Quantity (A)	Unit of Measure	Item <u>UNIT</u> Price (in Words)	Item <u>UNIT</u> Price (in Figures) (B)	TOTAL PRICE (in Figures) (AxB)
A1.	Adjust EBMUD Water Valve Pot to Grade	15	EA	<hr/> <hr/>		


TOTAL ADDITIVE BID ITEM A: _____
(In Words)

TOTAL ADDITIVE BID ITEM A: _____
(In Figures)

TOTAL BASE BID + ADDITIVE BID ITEM A: _____

(In Words)

TOTAL BASE BID + ADDITIVE BID ITEM A: _____
(In Figures)



UNITS OF MEASURE:

Abbreviation	Word or Words
LF	Linear Feet
SF	Square Feet
SY	Square Yards
CY	Cubic Yards
TN	Tons (2,000 lbs./907.2 kgs.)
LS	Lump Sum
EA	Each
MO	Months

NOTE: The estimate of construction quantities set forth herein is approximate only, being given as a basis for the comparison of bids. The City does not expressly nor by implication agree that the actual amount of work will correspond therewith, and reserves the right to change the amount of any class or portion of the work or to omit portions of the work as may be deemed necessary or expedient by the Engineer in accordance with section 3-2.1.1 of the Special Provisions. All bids will be compared on the basis of the Engineer's Estimate of the quantities of the work to be done. The undersigned declares, by signing this proposal, that the bidder has carefully checked all of the above figures and understands that the City shall not be responsible for any errors or omissions on the part of the undersigned in making up this bid.

PROJECT LOCATION MAP



CONTRACT PRICE SCHEDULE (Addendum 1)

BASE BID

Item No.	Description	Estimated Quantity (A)	Unit of Measure	Item <u>UNIT</u> Price (in Words)	Item <u>UNIT</u> Price (in Figures) (B)	TOTAL PRICE (in Figures) (AxB)
1.	Mobilization	1	LS	_____		
2.	Traffic Control & Construction Area Signs, Lane Closures, and Detours	1	LS	_____		
3.	AC Milling and Offhaul (Final Quantity)	1,012	CY	_____		
4.	Failed Existing AC Pavement Repairs (Dig Outs)	34	TN	_____		
5.	Adjust Sanitary Sewer Manhole Frame and Cover to Grade	7	EA	_____		
6.	Adjust Storm Drain Manhole Frame and Cover to Grade	5	EA	_____		
7.	Remove and Rebuild City Monument per City Standard Plan No. 134	4	EA	_____		
8.	Locate Buried City Monument	6	EA	_____		
9.	Furnish and Install Monument Frame & Cover per City Standard Plan No. 134	4	EA	_____		
10.	Soil Stabilization Full-Depth Rehab Method (Equipment & Labor Only) (S)	87,990	SF	_____		
11.	Soil Stabilization at Locations with Utilities Within Stabilized Base Section (Equipment & Labor Only) (S)	8,799	SF	_____		

12.	Cement for Soil Stabilization (S)	390	TN	_____		
13.	Asphalt Concrete Paving	2,318	TN	_____		
14.	Potholing	50	EA	_____		
15.	Remove and Replace Thermoplastic Stripes, Pavement Markings and Markers	1	LS	_____		
16.	Standard 6'-6" By 6'-8" Rubber Speed Cushion	6	EA	_____		
17.	Standard 9'-2" By 6'-8" Rubber Speed Cushion	6	EA	_____		
18.	Install "Bump" Legend	8	EA	_____		
19.	Rubber Speed Cushion Border Striping	4	EA	_____		
20.	Furnish and Install W13-1 Sign (15 MPH)	4	EA	_____		
21.	Furnish and Install W17-1 Sign (Speed Bump)	4	EA	_____		
22.	Furnish and Install New Sign Post Per City Standard Plan No. 136	4	EA	_____		
23.	Install Traffic Detector Loops	8	EA	_____		
24.	Install Traffic Detector Wells	1	EA	_____		
25.	Remove and Replace Portion of 6" VCP Sanitary Sewer	27	LF	_____		
26.	Remove and Replace Portion of 8" VCP Sanitary Sewer	43.5	LF	_____		

TOTAL BASE BID: _____
(In Words)

TOTAL BASE BID: _____
(In Figures)

ADDITIVE BID ITEM A

Item No.	Description	Estimated Quantity (A)	Unit of Measure	Item <u>UNIT</u> Price (in Words)	Item <u>UNIT</u> Price (in Figures) (B)	TOTAL PRICE (in Figures) (AxB)
A1.	Adjust EBMUD Water Valve Pot to Grade	15	EA	<hr/> <hr/>		

TOTAL ADDITIVE BID ITEM A: _____
(In Words)

TOTAL ADDITIVE BID ITEM A: _____
(In Figures)

TOTAL BASE BID + ADDITIVE BID ITEM A: _____

(In Words)

TOTAL BASE BID + ADDITIVE BID ITEM A: _____
(In Figures)

UNITS OF MEASURE:

Abbreviation	Word or Words
LF	Linear Feet
SF	Square Feet
SY	Square Yards
CY	Cubic Yards
TN	Tons (2,000 lbs./907.2 kgs.)
LS	Lump Sum
EA	Each
MO	Months

NOTE: The estimate of construction quantities set forth herein is approximate only, being given as a basis for the comparison of bids. The City does not expressly nor by implication agree that the actual amount of work will correspond therewith, and reserves the right to change the amount of any class or portion of the work or to omit portions of the work as may be deemed necessary or expedient by the Engineer in accordance with section 3-2.1.1 of the Special Provisions. All bids will be compared on the basis of the Engineer's Estimate of the quantities of the work to be done. The undersigned declares, by signing this proposal, that the bidder has carefully checked all of the above figures and understands that the City shall not be responsible for any errors or omissions on the part of the undersigned in making up this bid.

The plans for this project shall be as follows:

<u>Title</u>	<u>Sheet No.</u>	<u>Drawing No.</u>	<u>Case No.</u>
Title Sheet	1	3824	202
General Notes, Legend and Abbreviations	2	3825	202
Bancroft Ave Site Plan	3-5	3826-3828	202
Bancroft Ave Striping Plan	6-7	3829-3830	202
Bigge St Plan & Profile	8-10	3831-3833	202
Bigge St Cross Sections	11	3834	202
2010/2011 Neighborhood Traffic Calming Program Speed Cushion Installation – Juana Ave & Durant Ave	12	3835	202
City Standard Plans	13-14	3836-3838	202

2-5.1 GENERAL The following is added to section 2-5.1 of the Standard Specifications:

The Contractor shall submit a request for information (RFI) to the Engineer whenever the intent of the contract documents is ambiguous or unclear. RFI's shall be in writing and shall be numbered sequentially. RFI's shall include references to relevant details, specification sections, and plan sheets so that the question may be easily understood. Responses to RFI's shall be considered amendments to the contract documents, and the work shall be constructed in accordance with the responses. The response to an RFI does not indicate or authorize extra work or authorize additional compensation. The Contractor must follow the procedures of Section 3 if additional compensation is desired.

2-5.3 SUBMITTALS The following is added to Section 2-5.3 of the Standard Specifications:

Submittals shall consist of the appropriate combination of catalog sheets, certificate of compliance, material lists, manufacturer's brochures, technical bulletins, specifications, diagrams, product samples, or other requested information necessary to describe a system, product, or item. Submittals for systems shall be bound together and include all manufactured items for the system. Six copies of each submittal shall be transmitted to the Engineer. Three copies will be returned to the Contractor.

2-5.3.1 GENERAL The following is added to Section 2-5.3.1 of the Standard Specifications:

Contractor's attention is directed to Section 6-1 of these Special Provisions regarding required submittals for pre-construction meeting.

Prior to the pre-construction conference and per section 6-1 of these Special Provisions, the Contractor shall submit to the City for review a tentative construction schedule, traffic control plans, 24 hour emergency phone numbers, and copies of business licenses and applicable permits, and sample flyers/door hangers for public notifications.

A partial list of the required submittals is as follows:

- Source of supply of all materials
- Certificates of compliance and certified test reports as required in Section 203-1.3
- Project Schedule including diagrams/maps indicating phasing/parking
- Sample notice to be given to residents, businesses and agencies
- Traffic Control Plans
- 24-hour Emergency phone number list
- Business licenses

CITY OF SAN LEANDRO

ANNUAL OVERLAY / REHABILITATION 2013-14

CITY PROJECT NO. 2014.0050
 BID NO. 13-14.015


SHEET NO	SHEET NAME	DWG NO	CASE NO
1	TITLE SHEET	3824	202
2	GENERAL NOTES, LEGEND & ABBREVIATIONS	3825	202
3-5	BANCROFT AVE SITE PLAN	3826-3828	202
6-7	BANCROFT AVE STRIPING PLAN	3829-3830	202
8-10	BIGGE ST PLAN & PROFILE	3831-3833	202
11	BIGGE ST CROSS SECTIONS	3834	202
12	2010/2011 NEIGHBORHOOD TRAFFIC CALMING PROGRAM SPEED CUSHION INSTALLATION - JUANA AVE & DURANT AVE	3835	202
13-15	CITY STANDARD PLANS	3836-3838	202



VICINITY MAP

GENERAL NOTES:

- THESE DRAWINGS REPRESENT THE GENERAL DESIGN INTENT TO BE IMPLEMENTED ON THE SITE. CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING THE ENGINEER FOR ANY ADDITIONAL CLARIFICATION OR DETAIL NECESSARY TO ACCOMMODATE SITE CONDITIONS OR DETAIL.
- CONTRACTOR SHALL COORDINATE AND OTHERWISE INTEGRATE HIS WORK WITH THAT OF OTHERS IN AN EFFICIENT, CRAFTSMANLIKE AND TIMELY MANNER SO AS TO PROVIDE THE CITY WITH A WELL CONSTRUCTED, EASILY MAINTAINABLE PROJECT.
- AT ALL TIMES, CONTRACTOR SHALL BE SOLELY AND COMPLETELY RESPONSIBLE FOR SITE CONDITIONS DURING THE COURSE OF CONSTRUCTION OF THIS PROJECT, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY. THIS REQUIREMENT SHALL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS; AND THE CONTRACTOR SHALL DEFEND, INDEMNIFY AND HOLD THE CITY AND ITS EMPLOYEES HARMLESS FROM ANY AND ALL LIABILITY, REAL OR ALLEGED, IN CONNECTION WITH THE PERFORMANCE OF WORK ON THIS PROJECT.
- THE CONTRACTOR IS HEREBY NOTIFIED THAT, PRIOR TO COMMENCING CONSTRUCTION, HE IS RESPONSIBLE FOR CONTACTING THE UTILITY COMPANIES INVOLVED AND REQUESTING A VISUAL VERIFICATION OF LOCATIONS OF THEIR UNDERGROUND FACILITIES. THE UTILITY COMPANIES ARE MEMBERS OF THE UNDERGROUND SERVICE ALERT (U.S.A.) ON CALL PROGRAM. THE CONTRACTOR SHALL NOTIFY MEMBERS OF U.S.A. AT LEAST TWO (2) WORKING DAYS IN ADVANCE OF PERFORMING EXCAVATION WORK BY CALLING 811 or (800) 227-2600.
- THE CONTRACTOR SHALL INDEPENDENTLY VERIFY DEPTHS OF UTILITIES ON SITE.



Measure B
Improvements
 Your half-cent sales tax at work



NO.	DATE	REVISION
1	4/11/14	ADDED SPEED CUSHIONS ON DURANT AVE

BEFORE YOU DIG, CALL UNDERGROUND SERVICE ALERT 811
 IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE EXISTENCE AND LOCATION OF ALL UNDERGROUND UTILITIES. THOSE SHOWN ARE NOT GUARANTEED TO BE ACCURATE AT THE TIME OF PREPARATION OF THESE PLANS. NO GUARANTEE IS MADE AS TO THE ACCURACY OF THIS INFORMATION.

DESIGNED BY: KKL DATE 3/25/2014
 DRAWN BY: KKL DATE 3/25/2014
 PROJECT MGR: KKL DATE 3/25/2014
 TRANS ADMIN: RLC DATE 4/11/2014
 SENIOR ENGR: JJS DATE 4/11/14
 APPROVED BY: [Signature] DATE 4/11/14
 CITY ENGINEER, P.C.E. No. 34870

CITY OF SAN LEANDRO

ANNUAL OVERLAY /
 REHABILITATION 2013-14
 TITLE SHEET

AT FULL SIZE
 THIS LINE MEASURES 1"
 SHEET 1 OF 15
 JOB NO. 2014.0050
 SCALE _____
 DWG 3824 CASE 202

CONSTRUCTION NOTES

1. CENTERLINES OF RUBBER SPEED CUSHIONS TO BE MARKED IN THE FIELD BY CITY.

2. EDGE OF "BUMP" LEGENDS SHALL BE 50' FROM EDGE OF SPEED CUSHIONS. TWO "BUMP" LEGENDS SHALL BE INSTALLED PER SET OF RUBBER SPEED CUSHIONS.

LEGEND


- ▣ "BUMP" LEGEND
- ▬ SET OF RUBBER SPEED CUSHIONS
- ⊕ SIGN POST WITH W13-1 (15 MPH) & W17-1 (SPEED BUMP) SIGNS



DURANT AVE SPEED CUSHION LOCATION




JUANA AVE SPEED CUSHION LOCATIONS




DURANT AVE CONFIGURATION

NOTE:
Install Speed Cushions Per
Manufacturer's Installation
Guidelines.



JUANA AVE CONFIGURATION

NOTE:
Install Speed Cushions Per
Manufacturer's Installation
Guidelines.



Measure B
Improvements
Your half-cent sales tax at work

811
Know what's below.
Call before you dig.



BEFORE YOU DIG, CALL UNDERGROUND SERVICE ALERT (811). IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE EXISTENCE AND LOCATION OF ALL UNDERGROUND UTILITIES. THE BEST INFORMATION AVAILABLE TO THE CITY OF SAN LEANDRO AT THE TIME OF PREPARATION OF THESE PLANS, NO GUARANTEE IS MADE AS TO THE ACCURACY OF THIS INFORMATION.

NO.	DATE	REVISION
1	4/11/14	ADDED SPEED CUSHIONS ON DURANT AVE

CITY OF SAN LEANDRO
DESIGNED BY: KKL DATE: 3/25/2014
DRAWN BY: KKL DATE: 3/25/2014
PROJECT MGR: KKL DATE: 3/25/2014
TRANS ADMIN: RLC DATE: 4/11/2014
SENIOR ENGR: JJC DATE: 4/11/2014
APPROVED BY: [Signature] DATE: 4/11/14
CITY ENGINEER, R.C.E. No. 34870

ANNUAL OVERLAY /
REHABILITATION 2013-14
2010/2011 NEIGHBORHOOD TRAFFIC CALMING PROGRAM
SPEED CUSHION INSTALLATION
JUANA AVENUE & DURANT AVENUE

AT FULL SIZE
THIS LINE MEASURES 1"
SHEET 12 OF 15
JOB NO. 2014.0050
SCALE NONE
DWG 3835 CASE 202