

**CITY OF SAN LEANDRO**  
**REQUEST FOR QUOTATION**

<b>SUBMIT BID TO:</b> City of San Leandro Purchasing Department 835 East 14th Street San Leandro, CA 94577	<b>FOR FURTHER INFORMATION CALL:</b> Darryl Sweet Purchasing Supervisor (510) 577-3377 fax (510) 577-3312
--	---

<b>BID NO:</b> 02-03.027	<b>DATE MAILED:</b> December 19, 2002	<b>THIS QUOTATION MUST BE DELIVERED TO THE CITY BEFORE:</b> 3:00 P.M. , Tuesday, January 21, 2003
-----------------------------	--	--

QTY.	DESCRIPTION	UNIT PRICE	EXTENSION
1	<p style="text-align: center;"><b>ONE (1) CURRENT MODEL YEAR 3-AXLE ROLL-OFF TRUCK</b></p> <p style="text-align: center;"><b>Notice to Bidders</b></p> <p>Provide one (1) current model year 3-axle roll-off truck in accordance with specification abw/9102/2730-add.</p> <p>Make/Model: _____</p> <p>Specify Warranty: _____</p> <p>All bidders must submit with their proposal sufficient literature to show compliance with specifications. Any deviations from specifications must be clearly indicated in writing at the time the proposal is submitted. The City reserves the right to waive minor variations in specifications bid.</p> <p>Price bid must not include any taxes. The City is exempt from Federal excise tax and exemption certificates will be furnished if required. Do not include sales tax in your bid. Sales taxes will be paid at the time of invoice payment.</p> <p>State your earliest delivery date as requested. This date may be an important factor in award determination.</p> <p>The vehicle shall be completely serviced as recommended by the manufacturer prior to delivery to the City, and shall be delivered to the City with a full tank of fuel.</p> <p>The original report of sale shall accompany the vehicle upon delivery to the City. The name and address on the Dealer's report of sale shall read City of San Leandro, 835 E. 14<sup>th</sup> Street, San Leandro, California 94577.</p> <p>Sealed bids shall be received at the Purchasing Office, City Hall, 835 E. 14<sup>th</sup> Street, San Leandro, CA up to 3:00 p.m., on Tuesday, January 21, 2003 at which time they will be publicly opened and read.</p>	\$ _____ Each	\$ _____ Total

One (1) Current Model Year 3-axle Roll-Off Truck  
Bid No. 02-03.027

Page 2

Any bid may be withdrawn at any time prior to the time fixed for the opening of bids only by written request for the withdrawal of the bid filed with the City. The request shall be executed by the bidder or bidder's duly authorized representative. The withdrawal of a bid does not prejudice the right of the bidder to file a new bid. Whether or not bids are opened exactly at the time fixed in the public notice for opening bids, a bid will not be received after that time nor may any bid be withdrawn after the time fixed in the public notice for opening of bids.

As stated in Public Contract Code Section 5100 to 5108, inclusive (State Contract Act) concerning relief of bidders and in particular to the requirement therein, that if the bidder claims a mistake was made in his bid, the bidder shall give the City written notice within five (5) days after the opening of the bids of the alleged mistake, specifying in the notice, in detail how the mistake occurred.

All bidders shall verify if any addendum for this project has been issued by the City. It is the bidder's responsibility to ensure that all requirements of contract addendum are included in the bidder's submittal.

The successful bidder shall submit a certificate of insurance showing compliance with the enclosed insurance requirements. This insurance shall be maintained at all times during the course of any resulting agreement. In addition, the successful bidder shall have the proper City of San Leandro business license and all other applicable licenses and permits.

The award will be made to the lowest responsible bidder whose bid complies with the specifications in a manner satisfactory to the City's best interests as determined by the City. The right is reserved, as the interest of the City may require, to reject any or all bids, or to waive any informality or minor irregularity in the bids.

Payment shall be within 30 days following acceptance of bid items.


- Delivery shall be F.O.B. destination
- Complete delivery \_\_\_\_\_ days from order
- There shall be no charge(s) for delivery of bid items.
- Cash Discount \_\_\_\_\_ in \_\_\_\_\_ days

To bid, complete and return a copy of the Request and the other required forms, sealed in the enclosed envelope. The envelope shall be marked with the project name and bid number. The bid must be received by the date and time shown in order to be considered. Please note that there is a one-day delay in mail delivery to City Hall by the U.S. Postal Service.

**Delivery shall be to:**  
**Public Works Service Center**  
**14200 Chapman Road**  
**San Leandro, CA 94577.**

Firm \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_  
By (Signature) \_\_\_\_\_  
Title: \_\_\_\_\_

Date: \_\_\_\_\_  
Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_  
Print Name: \_\_\_\_\_



\_\_\_\_\_  
Darryl Sweet, Purchasing Supervisor

**Specifications  
For  
One (1) Current Model Year Three (3) Axle Roll-off Truck  
Bid 02-03.027**

The following specifications are minimum unless otherwise specified.

**Engine:**

320 HP diesel @ 2100 rpm.  
Heavy-duty cooling system.  
2-stage air filter system.

**Transmission:**

- A. 5 speed automatic, Allison 4560P or equivalent.
- B. External filter.
- C. Transmission cooler.

**G.V.W.:**

74,000 lbs.

**Wheel base:**

180 inches

**Cab:**

Cab over with hydraulic tilt mechanical latch.

**Steering:**

Factory installed power assisted.

**Brakes:**

- A. Air-operated, s-cam drum type front and rear.
- B. 13 C.F.M. water-cooled compressor.
- C. Air dryer, reservoir(s) fitted with automatic moisture ejectors.
- D. Spring applied parking brake,
- E. Air system and brakes to meet applicable state and federal requirements.
- F. Air pressure gauge with low air alarm.

**Differential:**

- A. Geared to match engine, transmission and tires to provide 60 mph at full gross load on level surface.

**Wheels/Tires:**

- A. Steel 10 hole budd style wheels, 22.5 inch.
- B. Tires, radial with highway compound.
- C. One each spare wheel and tire (front and rear axle).

**Electrical:**

- A. 12 volt system with 100 amp alternator.
- B. 2 each type 31 batteries with threaded stud terminals.
- C. Back up alarm.
- D. Engine warning and shut down system.
- E. Engine tachometer.
- F. Gauges to monitor engine temperature, oil pressure, charging system and transmission temperature, oil pressure, charging system and transmission temperature.
- G. factory installed AM/FM radio.
- H. All lights and reflectors shall meet state and federal laws.

**Fuel Tank :**

50-gallon minimum.

**Exterior:**

- A. Factory applied white paint on all body areas.
- B. Frame, wheels and running gear to be painted black.
- C. Dual west coast style mirrors.
- D. Tinted windshield and door glass.

**Interior:**

- A. Operator seat fitted with air-suspension covered in gray vinyl.
- B. Passenger seat, standard covered in gray vinyl.
- C. Seat belts at all seat positions.
- D. All painted areas to be white, matching exterior.
- E. Full rubber floor mat.

**Miscellaneous:**

- A. One set each part and maintenance manuals for prime mover.
- B. One set each parts and maintenance manuals for roll-off unit.
- C. Two extra sets of keys for doors/ignition.

**Warranty:**

Standard manufacturers warranty for engine and cab/chassis.

**Specifications  
for  
One (1) Current Model Cable Reeving Roll-off unit, Mounted on Chassis  
Bid 02-03.027**

**Cable Reeving  
Roll off unit:**

- A. Roll off frame length to accommodate 30 yard container. Tilt frame constructed of 4X8X $\frac{1}{4}$  tubing with 6"X15.3 lbs. ship channel on top.
- B. Adjustable front container stops and automatic rear locks.
- C. Reeving system powered by (2) 6"X80" stroke cylinders.
- D. Hoist cylinder (2) 6" boreX69 single stage.
- E. Hydraulic pump to be commercial shearing P-50 direct coupled to Chelsea hot shift P.T.O.
- F. Commercial shearing A-35 valve with four (4) work sections – hoist, pull cylinders, stiff leg and wet kit.
- G. Stiff leg (rear stabilizer)
- H. Inside cab air controls.
- I. Tilt frame cushioned by 1"X3" hard wood.
- J. Steel double fenders with beaded edges.
- K. Tool box mounted on side of frame.
- L. Cab working lights, remaining lights and reflectors shall meet state and federal laws.
- M. Unit primed and painted black, fenders painted white to match cab.