

**PREDA STREET PIPE BRIDGES STRENGTHENING
PROJECT NO. 06-593-52-121**

ADDENDUM NO. 1

August 21, 2006

TO: All Prospective Bidders

The additions and/or deletions contained in this Addendum shall be made a part of the plans and specifications and contract documents for the above described project, and shall be subject to all applicable requirements thereunder, as if originally shown and/or specified.

THE CONTRACT BOOK SHALL BE REVISED AS FOLLOWS:

1. Add the following to Section 210 PAINT AND PROTECTIVE COVERINGS:

Coatings shall consist of an inorganic zinc primer and an exterior grade latex paint for the finish coats from the same manufacturer as the primer, designed for use over the inorganic zinc primer and applied per the manufacturer's recommendation. Materials to be from one of the following manufacturers:

- Benjamin Moore & Co.
- Sherwin-Williams Co.
- P.P.G. Industries, Inc., Coatings and Resins Division
- Kelly Moore Paint Co.
- Or approved equal

PLEASE NOTE –The Bid Opening Remains Thursday, August 24, 2006 at 3:00 p.m.

Acknowledge this addendum in your Proposal. If you have any questions, please call the Project Engineer, John O'Driscoll, at (510) 577-3494.

Very truly yours,

Kenneth Joseph, P.E., City Engineer
Engineering and Transportation Department

KJ:JO:km

ACKNOWLEDGEMENT

I hereby acknowledge receipt of this Addendum for the above noted project.

_____ Date: _____
(Signature)

(Business Name – Please Print)

Enclosures: Caltrans Pre-Qualified products List (Waterborne Inorganic Rich Primer)

cc: Internal Plans & Specs Distribution List
COSL Current Plan-holders and Pre-bid Meeting Attendees