

**CITY OF SAN LEANDRO**  
**REQUEST FOR QUOTATION**

<b>SUBMIT BID TO:</b> City of San Leandro Purchasing Department 835 East 14th Street San Leandro, CA 94577	<b>FOR FURTHER INFORMATION CALL:</b> Don Brockman Purchasing Agent (510) 577-3472 fax (510) 577-3312 dbrockman@ci.san-leandro.ca.us
--	---

<b>BID NO:</b> 08-09.013	<b>DATE MAILED:</b> October 16, 2008	<b>THIS QUOTATION MUST BE DELIVERED TO THE CITY BEFORE:</b> 3:00 P.M. , Thursday, November 6, 2008
-----------------------------	---	---

QTY.	DESCRIPTION	UNIT PRICE	EXTENSION
	<p><b>ONE (1) EACH CURRENT MODEL YEAR TOWABLE ASPHALT PAVER (LAYTON #F-525 OR EQUIVALENT)</b></p> <p><b>Bid No. 08-09.013</b></p> <p><b>Notice to Bidders</b></p> <p>Provide one (1) Current Model Year Towable Asphalt Paver in accordance with specifications ABW-91508-5037-860.</p> <p>Make/Model: _____</p> <p>Specify Warranty: _____</p> <p>Delivery Date: _____</p> <p>All bidders must submit with their proposal sufficient literature to show compliance with specifications. Any deviations from specifications must be clearly indicated in writing at the time the proposal is submitted. The City reserves the right to waive minor variations in specifications bid.</p> <p>Do not include sales tax in your bid. Sales tax will be added to the purchase order and remitted with invoice payment.</p> <p>State your earliest delivery date as requested. This date may be an important factor in award determination.</p> <p>The vehicle shall be completely serviced as recommended by the manufacturer prior to delivery to the City, and shall be delivered to the City with a <i>full tank of fuel</i>.</p> <p>The original report of sale shall accompany the vehicle upon delivery to the City. The name and address on the Dealer's report of sale shall read City of San Leandro, 835 E. 14<sup>th</sup> Street, San Leandro, California 94577.</p> <p>Sealed bids shall be received at the Purchasing Office, City Hall, 835 E. 14<sup>th</sup> Street, San Leandro, CA up to 3:00 P.M. , Thursday, November 6, 2008 at which time they will be publicly opened and read.</p>	<p>\$ _____</p> <p style="text-align: center;">Each</p>	<p>\$ _____</p> <p style="text-align: center;">Total</p>

Any bid may be withdrawn at any time prior to the time fixed for the opening of bids only by written request for the withdrawal of the bid filed with the City. The request shall be executed by the bidder or bidder's duly authorized representative. The withdrawal of a bid does not prejudice the right of the bidder to file a new bid. Whether or not bids are opened exactly at the time fixed in the public notice for opening bids, a bid will not be received after that time nor may any bid be withdrawn after the time fixed in the public notice for opening of bids.

As stated in Public Contract Code Section 5100 to 5108, inclusive (State Contract Act) concerning relief of bidders and in particular to the requirement therein, that if the bidder claims a mistake was made in his bid, the bidder shall give the City written notice within five (5) days after the opening of the bids of the alleged mistake, specifying in the notice, in detail how the mistake occurred.

All bidders shall verify if any addendum for this project has been issued by the City. It is the bidder's responsibility to ensure that all requirements of contract addendum are included in the bidder's submittal.

The successful bidder shall submit a certificate of insurance showing compliance with the enclosed insurance requirements, if applicable. This insurance shall be maintained at all times during the course of any resulting agreement. In addition, the successful bidder shall have the proper City of San Leandro business license and all other applicable licenses and permits, if applicable.

The award will be made to the lowest responsible bidder whose bid complies with the specifications in a manner satisfactory to the City's best interests as determined by the City. The right is reserved, as the interest of the City may require, to reject any or all bids, or to waive any informality or minor irregularity in the bids.

Payment shall be within 30 days following acceptance of bid items.

- Delivery shall be F.O.B. destination
- Complete delivery \_\_\_\_\_ days from order
- There shall be no charge(s) for delivery of bid items.
- Cash Discount \_\_\_\_\_ in \_\_\_\_\_ days

To bid, complete and return a copy of the Request and any other required forms, in a sealed envelope. The envelope shall be marked with the project name and bid number. The bid must be received by the date and time shown in order to be considered. Deliver envelope to: City of San Leandro Purchasing Dept., 835 E. 14<sup>th</sup> Street, San Leandro, CA, 94577. Please note that there is a one-day delay in mail delivery to City Hall by the U.S. Postal Service.

**Delivery of vehicle(s) shall be to:  
Public Works Service Center  
14200 Chapman Road  
San Leandro, CA 94577.**

Firm \_\_\_\_\_  
Address \_\_\_\_\_  
\_\_\_\_\_  
By (Signature) \_\_\_\_\_  
Title: \_\_\_\_\_

Date: \_\_\_\_\_  
Phone: \_\_\_\_\_  
FAX: \_\_\_\_\_  
Print Name: \_\_\_\_\_  
\_\_\_\_\_



Don Brockman  
Purchasing Agent

## **SPECIFICATIONS:**

ONE (1) CURRENT MODEL YEAR TOWABLE ASPHALT PAVER,  
(LAYTON MODEL # F-525 OR EQUIVALENT)  
BID NO. 08-09.013

The following specifications are minimum unless other wise specified.

### **General:**

- A. Height: 5 feet 4 inches
- B. Length: 6 feet 5 inches
- C. Width: 8 feet
- D. Spread width: 0 inch – 6 inch or 4 inch - 10 inch
- E. Screed width: 8 feet - 12 feet
- F. Operation speed: 12 feet wide, 2 inches deep, 100 feet per minute
- G. Basic machine weight: 3600 pounds

### **Engine:**

- A. 2 each, 7 horsepower, vertical shaft, aluminum block, cast iron cylinder liner
- B. Electric starter
- C. 7 amp alternator
- D. Hand recoil starter

### **Fuel System:**

- A. Propane fuel
- B. Single 10-gallon tank to supply fuel for both engines and screed heater

### **Hatch Arms:**

- A. Heavy duty alloy steel
- B. Tapered roller bearings in rim rolls
- C. Roller thrust bearings in side rolls

### **Controls:**

- A. Hitch arms, hand pump and electric hydraulic
- B. Shut off gate, hand pump and electric hydraulic
- C. Screed hoist, hand pump and electric hydraulic
- D. Screed extension (with optional equipment)
- E. Depth control, manual
- F. Augers, dual control, toggle switches

### **Augers:**

- A. Material, cast chrome alloy iron
- B. Auger flights, 3/8 inch thick, 20 inch long, 9 inch diameter
- C. Double #50 roller chain drive
- D. Shaft, 2-3/8 inch diameter, A140 alloy steel
- E. Speed, 100 RPM
- F. Installation to be low in hopper with no external hanger bearings

## **SPECIFICATIONS:**

ONE (1) CURRENT MODEL YEAR TOWABLE ASPHALT PAVER,  
(LAYTON MODEL # F-525 OR EQUIVALENT)  
BID NO. 08-09.013

### **Undercarriage:**

- A. Foam filled tires (8 total) two sets of dual tandem pneumatic
- B. Size, 5.30 x 6, six ply
- C. Each set walking beam mounted

### **Hopper:**

- A. 3 ton capacity
- B. Shut off, coordinated double clamshell type, shutoff gate with  $\frac{3}{4}$  inch overlap
- C. Hopper opening, 13-1/2 inches

### **Screed Plate:**

- A. Bolt on type, reversible
- B. Hardness, 360-400 brinell
- C. Thickness, 3/16 inch
- D. Heat treated, abrasion resistant
- E. Tensile strength, 190,000 psi

### **Screed Crown and Invert:**

- A. Maximum crown or invert, 3 inches
- B. Ratchet operated, both trailing and leading edge controlled simultaneously
- C. Mounted on universal joints

### **Screed Hoist:**

Two (2) cylinders with single arm, hydraulically operated

### **Hydraulic System:**

- A. Auger, engine driven hydraulic pumps, one engine driven pump for each side
- B. Hitch arms, shut off gate, screed hoist with optional electric hydraulic unit

### **Miscellaneous:**

- A. Electric hydraulic system, DC motor, battery powered, charged by engine alternator, hand pump backup system
- B. Screed heater, 2 burners externally mounted heat conductor
- C. Hydraulic power extensions, extensions powered by engine driven hydraulic
- D. Adjustable hitch arms, adjustable in 3 inch increments up to 15 inches

### **Manuals:**

One (1) set of maintenance manuals

### **Warranty:**

Standard manufacturer's warranty